

**DOLLE®**



# STAIRCASES



### Spacesaving stairs

DOLLE Spacesaving staircases are made in solid spruce, beech or oak. They are the best solution for small spaces.



### Modular staircases

Universal solution that can be used in various interiors. Modular construction makes the staircase look very light. Modular staircases are equipped with different treads and banisters.




### Spiral staircases

Ideal solution for small houses and flats. Flexible spiral construction allows to adjust the staircase flight to the space available and to make use of the space under the staircase



### Outside staircases

Aesthetics, safety and functionality are the main characteristics of DOLLE outside staircases. They can be easily integrated with every house or garden.



### Landing banisters

Landing banisters ensure safety and design cohesion with staircases.

## Space saving staircases

Madrid, Normandie / Alsace / Paris / Savoie

4 · 7

Technical data

8 · 9

## Modular and loft staircases

Athena, Graz / Atlanta, Basel / Dallas, Dublin / Boston, Frankfurt  
Berlin, Cork / Hamburg / Dubai / Sydney

10 · 17

Technical data

18 · 19

## Spiral staircases

Calgary / Montreal / Columbia / Vega

20 · 24

Technical data

25

## Outside staircases

Gardenspin / Gardenstep / Gardentop

26 · 28

Technical data

27

## Banisters and safety childgates

Children safety gates

29

Banister System PRO 3

30 · 31

# Madrid



	Opening size min. 150 x 60 cm
	Floor-to-floor height max. 283,5 cm
	Stairs width 54,5 cm without banister 57,2 cm with banister
	Rise height 21,8 cm

## Technical data

Page 8

## DOLLE Madrid


Straight flight stairs for small openings. Easy to mount. Take very little space.

### Material

Staircase and banister made of solid spruce.

SPRUCE  
UNTREATED

# Normandie



	Opening size Straight flight min. 175 x 80 cm Quarterturn min. 200 x 80 cm
	Floor-to-floor height 312,0cm-straight flight 353,4cm-with quarterturn
	Stairs width 75 cm without banister 77,7 cm with banister
	Rise height 20,8 cm

**Accessories available for special order**  
right/left quarterturn, handrail, risers

## Technical data

Page 8

## DOLLE Normandie


Available in straight flight and with a quarterturn.

### Material

Banister and treads in solid spruce.

SPRUCE  
UNTREATED

# Alsace



	Opening size min. 175 x 75 cm
	Floor-to-floor height straight flight-max. 280 cm ¼ turn-max. 320 cm
	Stairs width 70 cm straight flight 74 cm ¼ turn
	Rise height 20 cm

## DOLLE Alsace

Available in straight flight and with a quarterturn.

### Material

Staircase and banister made of solid beech.

**BEECH**  
UNTREATED


### Accessories available for special order:

- landing banister
- left/right quarterturn
- banister

### Technical data

Page 9

# Paris



	Opening size min. 240 x 85 cm
	Floor-to-floor height straight flight 280,5 cm ¼ turn 318 cm
	Stairs width 83,5 cm with banister
	Rise height 18,7 cm

## DOLLE Paris

Available as straight flight or with a quarterturn, with/without risers.

### Material

Staircase and banister made of solid spruce, beech or oak.

**SOLID BEECH**  
UNTREATED or VARNISHED

**SPRUCE**  
UNTREATED

**OAK**  
UNTREATED or VARNISHED

**WHITE\***

\* strings, posts, balusters in Paris beech and oak.


### Accessories available for special order

- landing banister
- left/right quarterturn
- banister
- risers

### Technical data

Page 8

# Savoie



	Opening size Straight flight min. 230 x 87 cm Quarterturn min. 230 x 89 cm
	Floor-to-floor height max. 275 cm
	Stairs width 82 cm 83,6 cm with quarterturn
	Rise high 19,6 cm

## DOLLE Savoie

Available as straight flight and with a quarterturn.

### Material

Staircase in solid beech.

Available banisters:

1. With straight wooden balusters (A)
2. With turned wooden balusters (T)
3. With 3 horizontal metal tubes (C)
4. With 5 horizontal metal tubes (M)

**SOLID BEECH**  
UNTREATED

### Accessories available for special order

- landing banister
- risers
- banister

### Technical data

Page 9

## Savoie - banisters



**A.** Straight wooden balusters



**T.** Turned wooden balusters



**C.** 3 metal horizontal tubes



**M.** 5 metal horizontal tubes

# Technical data - space saving stairs

	DOLLE Madrid	DOLLE Normandie straight flight	DOLLE Normandie quarterturn stairs	DOLLE Paris straight flight	DOLLE Paris bottom quarterturn
Max. floor-to-floor height (cm)	283,5	312	353,4	280,5	318
Adjustment of floor-to-floor height by strings shortening x	x	x	x	x	x
Min. opening size (cm)	150x60	175x80	175x80 bottom quarterturn 200x80 top quarterturn	240x85	260x85
Banister possible to fix on left/right side available as standard/ for order	included as standard	available for special order	available for special order	available for special order	available for special order
Stairs width with banister	57,2	77,7	77,7	83,5	83,5
Strings: length/width/thickness in straight flight	334/14,2/2,7	379/19/3,2	379/19/3,2	370/21/3	370/21/3
Number of treads / rises	12/13	14/15	16/17	14/15	16/17
Treads: width/depth (cm) Treads thickness (cm)	51,5/14,2 2,7	72/19 3,2	72/19 3,2	77,5x21 3,2	77,5x21 3,2
Wood: spruce beech beech/white oak/white x untreated, xx varnished xx* varnishing available for special order	x	x	x	x xx* xx* xx*	x xx* xx* xx*

DOLLE Madrid			
GH	A	S	D
to 283,5	to 174,5	21,8	from 150x60

DOLLE Normandie straight flight			
GH	A	S	D
to 312	to 225,4	20,8	from 175x80

DOLLE Normandie top and bottom quarterturn			
GH	A	S	D
to 353,6	to 305,5	20,8	from 200x80

DOLLE Paris straight flight			
GH	A	S	D
to 280,5	to 261,5	18,7	from 240x85

DOLLE Normandie bottom quarterturn			
GH	A	S	D
to 353,4	to 281,2	20,8	from 175x80

DOLLE Savoie straight flight			
GH	A	S	D
to 275	to 261,8	19	from 203x87

DOLLE Paris bottom quarterturn			
GH	A	S	D
to 318	to 323	18,7	from 260x85

DOLLE Normandie top quarterturn			
GH	A	S	D
to 353,4	to 280,8	20,8	from 200x80


DOLLE Savoie bottom quarterturn			
GH	A	S	D
to 275	to 291	19	from 203x89

## Dimensions:

GH - floor-to-floor height, A - landing space, S - rise height, D - opening size



	DOLLE Savoie Straight flight	DOLLE Savoie Quarterturn stairs bottom	DOLLE Savoie Quarterturn stairs top	DOLLE Alsace Straight flight	DOLLE Alsace Quarterturn stairs
Max. floor-to-floor height (cm)	275	275	275	280	320
Adjustment of floor-to-floor height by strings shortening x	x	x	x	x	x
Min. opening size (cm)	230x87	230x89	201x89	175x75	195x75
Banister possible to fix on left/right side available as standard/ for order	available for special order	available for special order	available for special order	available for special order	available for special order
Stairs width with banister	82	83,6	83,6	70	74
Strings: length/width/thickness in straight flight	396/22/3,1	396/22/3,1	396/22/3,1	352,3/32/3	352,3/32/3
Number of treads / rises	13,5 /14	14,5 /15	14,5 /15	13/14	15/16
Treads: width/depth (cm) Treads thickness (cm)	75,8x22x3,1 (top tread depth: 13 cm)	75,8x22x3,1 (top tread depth: 13 cm)	75,8x22x3,1 (top tread depth: 13 cm)	64,5x19x2,7	64,5x19x2,7
Wood: spruce beech beech/white oak/white x untreated, xx varnished xx* varnishing available for special order	x	x	x	x	x



**Dimensions:**

**Floor-to-floor height (GH) Landing space (A)**

.....cm .....cm

**Opening size**

**Width (B)** ..... cm



**Length (L)** ..... cm

**Model chosen:**

.....

**Wood type** .....

**Banister** .....



**Dimensions:**

**Floor-to-floor height (GH)**

.....cm

**Opening size**

**Square** .....cm x .....cm


**Round** .....cm x .....cm

**Model chosen:**


.....

**Wood type** .....

**Banister** .....



# Athena / Athena 2



Opening size  
min. 140 x 66 cm

Floor-to-floor height  
max. 276 cm

Stairs width  
58 cm

Rise height  
18,5-23 cm

### Technical data

Page 18

### DOLLE Athena

Economic modular staircase with silver powder-painted metal supporting construction. (RAL 9006)

#### Material

Metal banister included as standard. Treads available in beech multiplex and solid beech.

Treads:


**BEECH MULTIPLEX**  
VARNISHED ATHENA

**SOLID BEECH**  
VARNISHED ATHENA 2

Construction:

**SILVER**  
RAL 9006

# Graz



Opening size  
min. 140 x 66 cm

Floor-to-floor height  
max. 292 cm

Stairs width  
58 cm

Rise height  
18,5-22,5 cm

### Technical data

Page 18

### DOLLE Graz

Economic modular staircase with dark grey powder-painted metal supporting construction (RAL 9007).

#### Material

Metal banister included. Treads in beech multiplex.

Treads:

**BEECH MULTIPLEX**  
VARNISHED

Construction:

**GREY**  
RAL 9007

# Atlanta



	Opening size min. 137 x 69 cm
	Floor-to-floor height max. 300 cm
	Stairs width 62 cm
	Rise height 19-25 cm

#### Accessories available for special order

- landing banister
- cover kit for top and foot elements
- riser bars
- additional banister
- riddle balusters

#### Technical data

Page 18

#### DOLLE Atlanta

Space-saving straight flight staircase with 11 multiplex treads with adjustable height. The stair is a good-looking loft stair available in 3 modern colour variants.

#### Material

Banister with metal balusters and straight PVC handrail. Treads made of beech multiplex varnished.

Treads:

**BEECH MULTIPLEX**  
VARNISHED

**BEECH MULTIPLEX**  
ANTHRACITE VARNISHED


Construction:

**PEARL GREY**

**ANTHRACITE**  
RAL 7016

**BLACK**  
RAL 9005

# Basel



	Opening size min. 140 x 70 cm
	Floor-to-floor height max. 360 cm
	Stairs width 64 cm
	Rise height 18,5-22,5 cm

#### Accessories available for special order

- landing banister
- riser bars
- additional banister

#### Technical data

Page 18

#### DOLLE Basel

The ideal choice for you who want a simple and flexible space-saving staircase. This smart paddle stair with curved solid oak or beech treads can be installed as straight flight or turned up to a total of 90°.

#### Material

The banister is designed with five horizontal stainless-steel fillings. Treads made of solid beech or solid oak.

Treads:

**SOLID BEECH**  
VARNISHED

**SOLID OAK**  
VARNISHED


Construction:

**PEARL GREY**

**ANTHRACITE**  
RAL 7016

**BLACK**  
RAL 9005

# Dallas



	Opening size min. 175 x 76 cm
	Floor-to-floor height max. 300 cm
	Stairs width 69 cm
	Rise height 19 - 25 cm

#### Accessories available for special order

- landing banister
- cover kit for top and foot elements
- middle balusters
- additional banister

#### Technical data

Page 18

#### DOLLE Dallas

Straight flight or quarter-turn staircase complete with 11 treads in varnished beech multiplex. Maximum height: 300 cm. Landing banister available.

#### Material

Banister with metal balusters and straight PVC handrail. Treads made of beech multiplex varnished.

Treads:

**BEECH MULTIPLEX**  
VARNISHED


Construction:

**PEARL GREY**

**ANTHRACITE**  
RAL 7016

**BLACK**  
RAL 9005

# Dublin



	Opening size min. 162 x 66 cm
	Floor-to-floor height max. 360 cm
	Stairs width 65 cm or 75 cm
	Rise height 18,5-22,5 cm

#### Accessories available for special order

- landing banister
- additional banister

#### Technical data

Page 18

#### DOLLE Dublin

Practical model for self-assembly powder-painted supporting construction and wooden handrail.

#### Material

Two banisters

- Style 6 banister with powder painted metal posts, 5 horizontal stainless steel fillings and wooden handrail.
- Classic banister with powder painted metal posts and wooden handrail.

Treads:

**SOLID BEECH**  
VARNISHED

**SOLID OAK**  
VARNISHED


Construction:

**PEARL GREY**

**ANTHRACITE**  
RAL 7016

**BLACK**  
RAL 9005

# Boston



	Opening size min. 203 x 75 cm
	Floor-to-floor height max. 350 cm
	Stairs width 74 cm
	Rise height 19 - 25 cm

#### Accessories available for special order

- landing banister
- cover kit for top and foot elements
- additional banister
- child guard

#### Technical data

Page 19

## DOLLE Boston

Modern staircase with straight flight and 1/4 turn.

### Material

Supporting construction - metal in pearl grey, anthracite, black and white.

Treads:

**SOLID BEECH**  
VARNISHED

**SOLID OAK**  
VARNISHED

Construction:


**PEARL GREY**

**ANTHRACITE**  
RAL 7016

**BLACK**  
RAL 9005

**WHITE**  
RAL 9016

# Frankfurt



	Opening size min. 182 x 70 cm
	Floor-to-floor height max. 301 cm
	Stairs width 65 cm or 75 cm
	Stairs width 18,5-21,5 cm

#### Accessories available for special order

- landing banister
- middle balusters (Classic banister)
- additional banister for stairs
- child guard

#### Technical data

Page 19

## DOLLE Frankfurt

Universal modular staircases with classic treads. Powder coated metal elements in pearl grey, anthracite, black and white.

### Material

Two banisters:

- Style 6 banister with powder painted metal posts, 5 horizontal stainless steel fillings and wooden handrail.
- Design banister with powder painted metal square posts, 5 horizontal stainless steel fillings and wooden handrail.
- Classic banister with powder painted metal posts and wooden handrail.

Treads:

**SOLID BEECH**  
OILED

**SOLID OAK**  
OILED

**SOLID OAK**  
WHITE OILED

Construction:


**PEARL GREY**

**BLACK**  
RAL 9005

**ANTHRACITE**  
RAL 7016

**WHITE**  
RAL 9016

# Berlin



	Opening size min. 140 x 70 cm
	Floor-to-floor height max. 315 cm
	Staircase width 64 cm
	Rise height 18,5-22,5 cm

#### Accessories available for special order

- landing banister
- additional banister

#### Technical data

Page 19

### DOLLE Berlin

Stylish modular staircase with modern treads and metal support elements.

#### Material

Two banisters:

- Style 6 banister with powder painted metal posts, stainless steel filling (5 horizontal wires) and wooden handrail.
- Design banister with powder painted metal square posts, 5 horizontal stainless steel fillings and wooden handrail.

Treads:

**SOLID BEECH**  
OILED

**SOLID OAK**  
OILED

**SOLID OAK**  
WHITE OILED

Construction:


**PEARL GREY**

**BLACK**  
RAL 9005

**ANTHRACITE**  
RAL 7016

**WHITE**  
RAL 9010

# Cork



	Opening size min. 198 x 76 cm
	Floor-to-floor height max. 350 cm
	Staircase width 75
	Rise height 19-25 cm

#### Accessories available for special order

- landing banister
- cover kit for top and foot elements
- middle balusters (Classic banister)
- additional banister

#### Technical data

Page 19

### DOLLE Cork

Exceptionally deep and wide treads ensure a safe and comfortable ascent. The modular staircase CORK can be customised to suit your needs.

#### Material

Two banisters:

- Style 6 banister with powder painted metal posts, 5 horizontal stainless steel fillings and wooden handrail.
- Classic banister with powder painted metal posts and wooden handrail.

Treads:

**SOLID BEECH**  
VARNISHED

**SOLID OAK**  
VARNISHED

Construction


**PEARL GREY**

**ANTHRACITE**  
RAL 7016

**BLACK**  
RAL 9005

**WHITE**  
RAL 9010

# Hamburg



	Opening size min. 204 x 80 cm
	Floor-to-floor height max. 322 cm
	Staircase width 75 cm or 85 cm
	Rise height 18,5-21,5 cm

## DOLLE Hamburg

Luxury modular staircase with metal powder painted construction in silver or white.

### Material

Two banisters:

- Style 6 banister with powder painted metal posts, 5 horizontal stainless steel fillings and wooden handrail.
- Design banister with powder painted metal square posts, 5 horizontal stainless steel fillings and wooden handrail.
- Classic banister with powder painted metal posts and wooden handrail.

Treads:

**SOLID BEECH**  
OILED

**SOLID OAK**  
OILED

**SOLID OAK**  
WHITE OILED

Construction

**PEARL GREY**

**ANTHRACITE**  
RAL 7016

**BLACK**  
RAL 9005

**WHITE**  
RAL 9016


### Accessories available for special order

- landing banister
- middle balusters (Classic banister)
- additional banister
- child guard

### Technical data

Page 19

# Dubai



	Opening size min. 250 x 90 cm
	Floor-to-floor height max. 357 cm
	Staircase width 84/94 cm
	Rise height 19-21 cm

## DOLLE Dubai

Luxury modular staircase with metal powder painted construction.

### Material

Two banisters:

- Style 6 banister with powder painted metal posts, 5 horizontal stainless steel fillings and wooden handrail.
- Classic banister with powder painted metal posts and wooden handrail.

Treads:

**SOLID BEECH**  
VARNISHED

**SOLID OAK**  
VARNISHED

**SOLID OAK**  
WHITE OILED

Construction

**PEARL GREY**

**ANTHRACITE**  
RAL 7016

**BLACK**  
RAL 9005

**WHITE**  
RAL 9010

### Accessories available for special order


- landing banister
- middle balusters (Classic banister)
- additional banister

### Technical data

Page 19



# Sydney



	Opening size min. 204 x 80 cm
	Floor-to-floor height max. 315 cm
	Staircase width 75 or 85 cm
	Rise height 18,5-22,5 cm

## DOLLE Sydney

Exceptionally deep and wide treads ensure a safe and comfortable ascent. The modular staircase SYDNEY can be customised to suit your needs.

### Material

Two banisters:

- Style 6 banister with powder painted metal posts, stainless steel filling (5 horizontal wires) and wooden handrail.
- Design banister with powder painted metal square posts, 5 horizontal stainless steel fillings and wooden handrail.
- Classic banister with powder painted metal posts and wooden handrail.

Treads:

**SOLID BEECH**  
OILED

**SOLID OAK**  
OILED

**SOLID OAK**  
WHITE OILED

Construction

**ANTHRACITE**  
RAL 7016

**BLACK**  
RAL 9005

**WHITE**  
RAL 9016

### Accessories available for special order

- landing banister
- middle balusters
- additional banister

### Technical data

Page 19

Available from June 2022

# Technical data - modular staircases

	DOLLE Athena	DOLLE Graz	DOLLE Atlanta	DOLLE Basel	DOLLE Dallas	DOLLE Dublin
Max. floor-to-floor height (cm)	276	292	300	315	300	337
Rise height (cm)	18,5-23	18,5-22,5	19-25	18,5-22,5	19-25	18,5-22,5
Min. opening width (cm) (straight flight)	140x66	140x70	137x69	140x70	175x76	162x66
Banister fixed on left/right side included as standard available for special order	included as standard	included as standard	included as standard	included as standard	included as standard	available for special order
Staircase width (cm)	58	58	62	64	69	65/75
Number of treads	12	12	11-14	11-15	11	11-15
Treads: width / depth (cm)	58x21/12	58x21/12	58x21/12	64x25/12	65x18	61x18 / 71x18
Treads thickness in (cm)	3,5	3,5	3,5	3,3	3,5	3,5
Wood						
beech multiplex varhished	x	x	x		x	
solid beech varhished				x		x
solid beech oiled						
solid oak varhished				x		x
solid oak oiled						
solid oak white oiled						
Metal supporting structure						
silver RAL 9006	x					
grey RAL 9007		x				
pearl grey			x	x	x	x
anthracite 7016			x	x	x	x
black 9005			x	x	x	x
white 9016						

# Technical data - modular staircases

	DOLLE Boston	DOLLE Frankfurt	DOLLE Berlin	DOLLE Cork	DOLLE Hamburg	DOLLE Dubai	DOLLE Sydney
Max. floor-to-floor height (cm)	350	301	315	360	322	357	315
Rise height (cm)	19-25	18,5-21,5	18,5-22,5	18,5-22,5	18,5-21,5	17- 21	18,5-22
Min. opening width (cm) (straight flight)	203x75	182x70	140x70	198x76	204x80	250x91	204x80
Banister fixed on left/right side included as standard available for special order	included as standard	available for special order	available for special order	available for special order	available for special order	available for special order	available for special order
Staircase width (cm)	74	65/75*	64	75	75/85*	84/94	75/85*
Number of treads	11-13	11-13	11-13	11-15	11-14	11-16	11-13
Treads: width / depth (cm)	70x22	65x23 / 75x23	64x25/12	71x23	75x25,7 / 85x25,7	80x30 / 90x30	75x23 / 85x23
Treads thickness in (cm)	3,3	3,8	3,8	3,8	3,8	3,8	3,8
Wood							
beech multiplex varnished							
solid beech varnished	x			x			
solid beech oiled		x	x		x	x	x
solid oak varnished	x			x			
solid oak oiled		x	x		x	x	x
solid oak white oiled		x	x		x	x	x
Metal supporting structure							
silver RAL 9006							
grey RAL 9007							
pearl grey	x	x	x	x	x	x	
anthracite 7016	x	x	x	x	x	x	x
black 9005	x	x	x	x	x	x	x
white 9016	x	x	x	x	x	x	x


\* Staircase width with Classic and style banister

Frankfurt: 69/79 cm

Hamburg 79/89 cm

Sydney 79/89 cm

# Calgary



Opening size  
min. 130 x 130 cm



Floor-to-floor height  
max. 280,8 cm



Staircase diameter  
120 and 140 cm



Rise height  
20,4-23,4 cm

## DOLLE Calgary

Modern spiral staircases available in three construction colours: silver, white and anthracite.

### Material

Treads:

**BEECH MULTIPLEX  
VARNISHED**

Calgary white, silver, anthracite with beech treads

**BEECH MULTIPLEX  
ANTHRACITE VARNISHED**

Calgary anthracite

Construction:

**SILVER  
RAL 9006**

**ANTHRACITE  
RAL 7016**

**WHITE  
RAL 9016**

### Accessories available for special order

- a set of additional balusters
- landing banister

### Technical data

Page 25

# Calgary



Calgary white



Calgary silver








Calgary anthracite/anthracite



Calgary anthracite/beechn

# Montreal



-  Opening size  
min. 130 x 130 cm
-  Floor-to-floor height  
max. 352,5 cm
-  Staircase diameter  
120 and 140 cm
-  Rise height  
20,5-23,5 cm  
(beech / oak multiplex)  
21-23,5 cm (solid beech)

## DOLLE Montreal

Modern spiral staircase which allows customers to choose:

- construction colour
- treads material
- banister type

### Material

Treads:

**BEECH MULTIPLEX**  
VARNISHED

**SOLID BEECH**  
VARNISHED

**OAK MULTIPLEX**  
VARNISHED

Construction:

**SILVER**  
RAL 9006

**ANTHRACITE**  
RAL 7016

### Accessories available for special order

- set of additional balusters
- landing banister for opening

### Technical data

Page 25

#### Banister CLASSIC 2



CLASSIC 2 silver  
(2 balusters / 1 tread)

#### Banister CLASSIC 3




CLASSIC 3 anthracite  
(3 balusters / 1 tread)

#### Banister STYLE 10



STYLE 10 silver

# Columbia



Opening size  
min. 125 x 125 cm

Floor-to-floor height  
max. 315 cm

Staircase diameter  
120 / 140 cm

Rise height  
20,5-22,5 cm

## DOLLE Columbia

Elegant staircase with solid oak with Siux White oil finishing and grey lacquered balusters banister and square platform.

### Material

Treads:

**SOLID OAK SIOUX WHITE**

Banister:

Grey lacquered balusters  
banister, handrail made  
of wood.


### Accessories available for special order

- landing banister
- additional treads (max. 2)

### Technical data

Page 25

# Vega



Opening size  
min. 125 x 125 cm

Floor-to-floor height  
max. 315 cm

Staircase diameter  
120 / 140 cm

Rise height  
20,5-22,5 cm

## DOLLE Vega

Elegant staircase with solid beech and grey lacquered balusters banister.

### Material

Treads:

**SOLID BEECH**  
VARNISHED

Banister:

Grey lacquered balusters banister, handrail made of wood.

### Accessories available for special order

- landing banister
- additional treads (max. 2)

### Technical data


Page 25



# Technical data - spiral staircase

	DOLLE Calgary	DOLLE Montreal	DOLLE Vega	DOLLE Columbia
Floor-to-floor height (cm)	280,8	352,5	315	315
Number of treads	11	11-14	13/14	13/14
Rise height	20,4 – 23,4	20,5 – 23,5 beech multiplex 20,5 – 23,5 oak multiplex 21,0 – 23,5 solid oak	20,5-22,5	20,5-22,5
Min. opening size (cm)	130x130	130x130	125x125	125x125
Staircase diameter	120/140	120/140	120/140	120/140
Treads thickness (cm)	3,5	3,5 - beech and oak multiplex 4 - solid beech	4	4
Wood: untreated x, varnished xx				
beech multiplex	xx	xx		
birch	-	-	-	-
pine	-	-	-	-
solid beech	-	xx	varnished	-
walnut on solid beech	-	-	-	-
maple	-	-	-	-
oak	-	oak multiplex-	-	solid oak with Sioux White oil finishing
Metal construction: silver RAL 9006, grey RAL 9007, 7012 anthracite RAL 7016, white RAL 9016	9006, 9016 7016	9006, 7016	7012	7012

# Gardenspin



	Number of treads
	11-16
	Floor-to-floor height
	125/155 cm - 399,5 cm
	Staircase width
	125 / 155 / 185 cm
	Rise height
	18-23 cm

#### Accessories available for special order

- landing banister
- additional treads (max 5)

#### Technical data

Page 27

### DOLLE Gardenspin

Hot-galvanized outside staircase. Solid and functional - ensure longtime use.

#### Banister


Banister with metal posts and handrail made of PVC.

- metal treads

Treads:



# Gardenstep



	Number of treads
	2-14
	Floor-to-floor height
	max. 315 cm
	Staircase width
	80
	Rise height
	18,5-22,5 cm

#### Accessories available for special order

- landing banister
- platform and supporting column

#### Technical data

Page 27

### DOLLE Gardenstep

Flexible system of outside staircases. Available from 2 to 12 treads.

#### Banister

Banister with metal balusters and aluminium handrail. Treads available in three material options (grey/brown Trimax, or metal grate) and 2 width options (80 cm - for single construction)

Treads:


TRIMAX® CHOCO BROWN  
80 × 22 × 4 CM

TRIMAX® GREY  
80 × 22 × 4 CM

METAL GRATE  
80 × 23 × 3 CM

# Technical data - outside staircase

## Gardenspin



### Gardenspin planning

Floor-to-floor height .....cm

Flight of stairs  left  right

Diameter  125 cm  155 cm  
Platform  86 cm  104 cm

### Floor-to-floor height: Metal treads

- (11 treads with platform)  
12 rises with landing platform, height 246 - 282 cm
- 13 rises - height 266,5 - 305,5 cm
- 14 rises - height 287 - 329 cm
- 15 rises - height 307,5 - 352,5 cm
- 16 rises - height 328 - 376 cm
- 17 rises - height 348,5 - 399,5 cm  
(only diameters 125 and 155 cm)
- 17 rises - height 348,5 - 399,5 cm  
(only diameters 125 and 155 cm)


### Landing banister for opening:

Available in sets of 1m and 1,5m .....cm


(drawings required)

### Gardenspin spiral staircase

Gardenspin stairs can be mounted with left or right turn (universal construction)




**Right turn:**  
Staircase central pole on the right side while climbing (clockwise)




**Left turn:**  
Staircase central pole on the left side while climbing (anticlockwise)

### Tread angle



Ø 125 cm = 23,3  
Ø 155 cm = 27,9  
Ø 185 cm = 23,2

## Gardenstep



### Gardenstep planning

Floor-to-floor height .....cm

Landing space max. ....cm

### Number of treads

Treads  grey  brown  grate  
Banister  left  right  from both sides  
Platform  top  edge  middle

### Configuration

Treads no. = Rises no.	Landing space (cm)	Floor-to-floor height (cm)	Elements needed:		
			Kit1	Kit2	Kit3
2	40	37,0 - 45,0	1	-	-
3	60	55,5 - 67,5	-	1	-
4	80	74,0 - 90,0	1	-	1
5	100	92,5 - 112,5	-	1	1
6	120	111,0 - 135,0	1	-	2
7	140	129,5 - 157,5	-	1	2
8	160	148,0 - 180,0	1	-	3
9	180	166,5 - 202,5	-	1	3
10	200	185,0 - 225,0	1	-	4
11	220	203,5 - 247,5	-	1	4
12	240	222,0 - 270,0	1	-	5
13	260	240,5 - 292,5	-	1	5
14	280	259,0 - 315,0	1	-	6

### Gardenstep planning - summing up:

#### Construction / banister

- Kit 1 - startset with 2 rises  .....
- Kit 2 - startset with 3 rises  .....
- Kit 3 - extension set with 2 rises  .....
- Kit 4 - Banister for 6 treads  .....

#### Treads

- Trimax® grey 80 cm  .....
- Trimax® choco brown 80 cm  .....
- Metal grate 80 cm  .....

#### Platform

- Supporting poles for platform  .....
- additional Kit 1 or Kit 2  .....

#### Landing banister

Available in sets of 1,0 m .....cm

(drawings required)

#### Attention:

Gardenstep and Gardenspin models require a concrete base in the ground. The base needs to be at least 40 x 40 cm big and at least 80 cm deep. The base needs also to be frost-proof.

#### Attention:

Maximum number of treads in stairs  
Gardenstep (13 and 14 rises) is possible only with support poles.

# Gardentop



- Number of treads 2-14
- Floor-to-floor height 36-330 cm
- Staircase width 80 / 100 cm
- Rise height 18-22 cm

## DOLLE Gardentop

Modern outside stairs with straight flight, metal side elements and treads available in different materials.

Stairs banister and landing banisters available for special order:


- standard banister for 6 treads with aluminum handrail and hot-galvanized metal balusters,
- Prova Alu banister set for 4 treads (posts and handrail in aluminium, stainless steel tubes as filling)
- landing banister (design matching Set 3)

Treads:

- TRIMAX® CHOCO BROWN**  
80 × 22 × 4 CM/100 × 22 × 4 CM
- TRIMAX® ANTHRACITE**  
80 × 22 × 4 CM/100 × 22 × 4 CM
- METAL GRATE**  
80 × 23 × 3 CM/100 × 23 × 3 CM

Accessories available for special order  
· landing banister (design matching with Set 3)

## Gardentop



**Gardentop planning**

Floor-to-floor height .....cm

Landing space max. ....cm

**Number of treads** .....

Treads  brown  grate  anthracite

Banister  left  right  from both sides

**Examples of dimensions**

Treads no. = Rises no.	Landing space (cm)	Floor-to-floor height (cm)	Number of elements	
			Set 1	Set 2
2	44	36 - 44	1	-
3	66	54 - 66	1	1
4	88	72 - 88	1	2
5	100	90 - 110	1	3
6	132	108 - 132	1	4
7	162	126 - 154	1	5
8	184	144 - 176	1	6
9	206	162 - 198	1	7
10	228	180 - 220	1	8
11	246	198 - 242	1	9
12	264	216 - 264	1	10
12	264	234 - 286	1	10
13	286	234 - 286	1	11
14	308	252 - 308	1	12
14/15	308	252 - 330	1	12

**Gardentop planning - summing up**

**Supporting structure / banister**

Set 1 Start pack for 2 rises  .....

Set 2 Extension pack with 1 rise  .....

Set 3 Standard banister for 6 treads  .....

Set 4 Prova banister for 4 treads (startset)  .....

Set 5 Prova banister for 4 treads (extension set)  .....

**Treads**

Trimax® anthracite 80 or 100 cm  .....

Trimax® choco brown 80 or 100 cm  .....

Metal grate 80 or 100 cm  .....

**Landing banister**

Available in sets of 1,0 .....cm

(drawings required)

# Child safety gates



**Svea - pressure fit safety gate**

Svea - pressure fit safety gate for stairs and doors (without hinge).  
Made of beech, varnished.  
Width: 61- 100 cm, Height: 70 cm.



**Pia- stairs and doors safety gate**

Pia - wooden child safety gate with safe lock  
Made of beech, varnished.  
Width: 75,6 - 110,4 cm, Height: 71 cm.



**Lars - stairs and doors safety gate**

Lars - wooden child safety gate with safe lock  
Made of metal, grey powder coated.  
Width: 74,4 - 113 cm, Height: 68 cm



**Ben - fireplace safety gate**

Ben - metal child safety gate, black powder - coated,  
for fireplaces and wide doors - with safe lock.  
Total width: 90 - 278 cm.  
Height: 71 cm.

# Banister System PRO 3



# 4 STEPS TO BUILD YOUR BANISTER SYSTEM

## DOLLE PRO 3 SILVER

## DOLLE PRO 3 ANTHRACITE

### 1. CHOOSE YOUR POST:



### 2+3. FIND YOUR HANDRAIL AND FILLING:



### 4. CHOOSE YOUR ACCESSORIES:



ADJUSTABLE BRACKET FOR HANDRAIL JUNCTION



END CAP FOR ALU HANDRAIL



STRAIGHT HANDRAIL CONNECTOR



ADJUSTABLE BRACKET FOR HANDRAIL JUNCTION



END CAP FOR ALU HANDRAIL




STRAIGHT HANDRAIL CONNECTOR



WALL FITTING



TUBE JUNCTION BRACKET



END CAP FOR WOODEN HANDRAIL



WALL FITTING STRAIGHT CONNECTOR FOR WOODEN HANDRAIL



WALL FITTING



TUBE JUNCTION BRACKET



04.2022

**Dolle sp. z o.o.**  
43-382 Bielsko-Biała  
ul. Międzyrzecka 149  
Tel. +48 33 827 24 90  
e-mail: [biuro@dolle.com](mailto:biuro@dolle.com)  
[www.dolle.com.pl](http://www.dolle.com.pl)